

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	US 20020190956 A1	20021219	48	Universal remote control with display and printer	345/169	
2	US 20020140690 A1	20021003	7	Computer with communicating separable computing display subsystem	345/211	
3	US 20020122080 A1	20020905	78	Portable information terminal apparatus, information processing method, computer-program storage medium, and computer-program	345/864	
4	US 6476825 B1	20021105	77	Hand-held video viewer and remote control device	345/716	345/764; 348/14.05
5	US 6400996 B1	20020604	143	Adaptive pattern recognition based control system and method	700/83	345/810; 345/840; 345/841; 370/218; 370/355; 700/17; 700/24; 700/25; 700/86; 700/87; 709/102; 709/223; 709/227; 709/318

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	9865	computer and (base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1722	communication adj adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	208493	RF or (radio adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	329642	IR or infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	3654	Bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	1406	3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	258	1 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	49381	345/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	5	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

09/223,831

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	9865	computer and (base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1722	communication adj adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	208493	RF or (radio adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	329642	IR or infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	3654	Bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	1406	3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	258	1 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	49381	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	5	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	29759	wireless adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	454168	phone or telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	61427	base adj station	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	5235	10 and 11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	46	8 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	434	345/169.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	1452	345/156.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	69	345/864.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	97	725/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	486	(348/14.01-14.05).cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	554	(710/1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	724	(455/566).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	450	(455/556).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	4120	15 or 16 or 17 or 18 or 19 or 20 or 21 or 22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L24	787	361/680.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
25	BRS	L25	1119	361/681.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L26	60	(24 or 25) and 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	5681	(24 or 25) or 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	254	writable and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L29	1	writable near LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	1061	display adj subsystem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L31	13	12 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	1262	detachable adj connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L33	5999	detachable adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L34	4	(32 or 33) and (communication adj adapter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	US 20020194587 A1	20021219	50	Enhanced communication, monitoring and control system	725/10	725/109; 725/110
2	US 20020140690 A1	20021003	7	Computer with communicating separable computing display subsystem	345/211	
3	US 20020116200 A1	20020822	40	SATELLITE BASED GLOBAL POSITIONING SYSTEM FOR FEEDLOT COMPUTER NETWORK AND METHOD	705/1	
4	US 20020007798 A1	20020124	39	Apparatus and method for delivering feed rations along a feedbunk using a global positioning system	119/51.01	
5	US 6405132 B1	20020611	62	Accident avoidance system	701/301	701/117; 701/213; 701/45
6	US 6216053 B1	20010410	38	Apparatus and method for uniformly delivering feed rations along a feedbunk using global positioning system	700/104	700/241
7	US 6084870 A	20000704	15	Method and apparatus for the remote monitoring and configuration of electronic control systems	370/349	340/425.5; 340/459; 340/525; 370/315; 455/12.1
8	US 6032084 A	20000229	37	System for carrying out and managing animal feedlot operations using coordinate acquisition techniques	700/241	701/213; 701/214; 701/215
9	US 5953322 A	19990914	13	Cellular internet telephone	370/328	370/356
10	US 5628050 A	19970506	12	Disaster warning communications system	455/12.1	340/7.5; 455/67.7

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
11	US 4354252 A	19821012	32	Programmable digital data terminal for mobile radio transceivers	340/502	340/5.74; 340/539; 340/7.22; 340/7.44; 340/7.5; 340/7.55; 375/219; 455/517; 455/527; 455/73; 705/9
12	US 3927388 A	19751216	6	Divers navigation display	367/124	367/117; 367/126; 367/910
13	US 4354252 A	19821012	32	programmable digital data terminal for mobile transceivers - sends and receives digitally-encoded messages in set format at RF		

09/823, 831

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	9865	computer and (base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1722	communication adj adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	208493	RF or (radio adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	329642	IR or infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	3654	Bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	1406	3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	258	1 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	49381	345/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	5	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	29759	wireless adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	454168	phone or telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	61427	base adj station	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	5235	10 and 11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	46	8 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	434	345/169.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	1452	345/156.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	69	345/864.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	97	725/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	486	(348/14.01-14.05).cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	554	(710/1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	724	(455/566).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	450	(455/556).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	4120	15 or 16 or 17 or 18 or 19 or 20 or 21 or 22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L24	787	361/680.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
25	BRS	L25	1119	361/681.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L26	60	(24 or 25) and 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	5681	(24 or 25) or 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	254	writable and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L29	1	writable near LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	1061	display adj subsystem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L31	13	12 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	1262	detachable adj connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L33	5999	detachable adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L34	4	(32 or 33) and (communication adj adapter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L40	14	separable adj screen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L41	39	separable adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
37	BRS	L42	46	separable near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L44	217	separable near panel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L45	110	345/903.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L46	329	345/905.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	L47	431	45 or 46	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	L48	275	40 or 41 or 42 or 43 or 44	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	L49	0	47 and 48	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	L50	14	40 and 48	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	9865	computer and (base adj station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1722	communication adj adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	208493	RF or (radio adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	329642	IR or infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	3654	Bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	1406	3 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	258	1 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	49381	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	5	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	29759	wireless adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	454168	phone or telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	61427	base adj station	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	5235	10 and 11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	46	8 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	US 20020191017 A1	20021219	35	Wireless system for interacting with a game service	345/740	
2	US 20020190956 A1	20021219	48	Universal remote control with display and printer	345/169	
3	US 20020180767 A1	20021205	23	Interface for interaction with display visible from both sides	345/698	
4	US 20020158917 A1	20021031	35	Wireless system for interacting with a virtual story space	345/850	
5	US 20020158904 A1	20021031	34	Method for automatically generating list of meeting participants and delegation permission	345/755	
6	US 20020149561 A1	20021017	92	Electronic apparatus vibration generator, vibratory informing method and method for controlling information	345/156	
7	US 20020140745 A1	20021003	94	Pointing systems for addressing objects	345/848	345/156; 345/856
8	US 20020122080 A1	20020905	78	Portable information terminal apparatus, information processing method, computer-program storage medium, and computer-program	345/864	
9	US 20020109706 A1	20020815	129	WIRELESS, RADIO-FREQUENCY COMMUNICATIONS USING A HANDHELD COMPUTER	345/700	
10	US 20020080161 A1	20020627	15	Network appliance for enhanced television services	345/719	
11	US 20020080092 A1	20020627	8	Method for transmitting information	345/2.1	

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
12	US 20020078143 A1	20020620	68	Wireless communication device with markup language based man-machine interface	709/203	345/864; 707/513
13	US 20020075281 A1	20020620	29	Image transferring apparatus and method, file transferring apparatus and method, and program storage medium	345/619	345/629; 701/208; 701/213; 709/310
14	US 20020070948 A1	20020613	49	Image processing method, image processing apparatus, electronic device, image processing program, and recording medium on which the same program recorded	345/589	
15	US 20020067352 A1	20020606	34	Portable telephone	345/204	345/182
16	US 20020063693 A1	20020530	25	Portable terminal and data output control system	345/169	
17	US 20020063690 A1	20020530	23	Hand held internet browser with folding keyboard	345/168	
18	US 20020047830 A1	20020425	15	Method and an electronic apparatus for positioning a cursor on a display	345/157	
19	US 20020027568 A1	20020307	26	Access method and system using small number of identifiers	345/741	
20	US 20020019829 A1	20020214	28	Community co-presence system and method having virtual groups	707/201	345/753; 707/10; 707/8; 709/204
21	US 20010017604 A1	20010830	89	REFLECTIVE MICRODISPLAY FOR PORTABLE COMMUNICATION SYSTEM	345/27	
22	US 20010005197 A1	20010628	13	Remotely controlling electronic devices	345/100	348/14.05; 348/734; 379/102.03; 455/151.2

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
23	US 6476825 B1	20021105	77	Hand-held video viewer and remote control device	345/716	345/764; 348/14.05
24	US 6473097 B1	20021029	18	Method and apparatus for providing a mobile switching center intranet function	345/733	345/740; 345/751; 709/201; 709/203
25	US 6400996 B1	20020604	143	Adaptive pattern recognition based control system and method	700/83	345/810; 345/840; 345/841; 370/218; 370/355; 700/17; 700/24; 700/25; 700/86; 700/87; 709/102; 709/223; 709/227; 709/318
26	US 6392640 B1	20020521	36	Entry of words with thumbwheel by disambiguation	345/184	345/811; 345/816
27	US 6384850 B1	20020507	15	Information management and synchronous communications system with menu generation	345/810	345/841
28	US 6317781 B1	20011113	66	Wireless communication device with markup language based man-machine interface	709/217	345/781; 345/854; 707/10; 707/513; 709/202; 709/203; 709/218; 709/219
29	US 6301463 B1	20011009	8	Mobile base station for disseminating information	455/39	345/716; 455/433; 707/10

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
30	US 6300946 B1	20011009	24	Method and apparatus for interacting with a portable computer	345/700	343/702; 345/156; 345/158; 345/167; 345/169; 345/184; 713/300
31	US 6278887 B1	20010821	16	System and method for power conservation in a wireless communication handset	455/566	345/211; 455/158.4; 455/159.1; 455/343; 455/550; 455/574
32	US 6271815 B1	20010807	14	Handy information display system	345/82	340/815.4; 340/815.45; 345/55; 345/56; 345/83
33	US 6243080 B1	20010605	11	Touch-sensitive panel with selector	345/173	345/157; 345/169; 455/566; 455/90
34	US 6239787 B1	20010529	21	Display method, display apparatus and communication method	345/169	345/102; 345/649; 345/672; 345/901; 455/226.2; 455/566
35	US 6204844 B1	20010320	28	Method and apparatus for dynamically grouping communication units in a communication system	345/736	345/733

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
36	US 6173316 B1	20010109	68	Wireless communication device with markup language based man-machine interface	709/218	345/784; 707/10; 707/500; 707/513; 707/9; 709/202; 709/203; 709/219; 709/227; 709/228; 709/250
37	US 6172673 B1	20010109	10	Multimedia terminal and method for realizing multimedia reception	345/716	725/105; 725/131
38	US 6138072 A	20001024	12	Navigation device	701/207	340/988; 340/995; 345/854; 345/856; 379/88.17; 379/900; 701/200
39	US 6104334 A	20000815	36	Portable internet-enabled controller and information browser for consumer devices	341/175	340/825.24; 340/825.72; 341/176; 345/169; 348/734
40	US 6081750 A	20000627	94	Ergonomic man-machine interface incorporating adaptive pattern recognition based control system	700/17	345/520; 700/11; 700/56; 700/83; 700/86
41	US 6046712 A	20000404	16	Head mounted communication system for providing interactive visual communications with a remote system	345/8	345/7; 348/207.99; 725/105

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
42	US 6040829 A	20000321	68	Personal navigator system	345/864	345/817; 345/859; 348/731; 348/734; 455/158.5; 455/186.2; 455/352; 725/141; 725/31; 725/39
43	US 5796394 A	19980818	22	User interface and rule processing for a personal communications routing system	345/751	345/823; 345/835; 709/206
44	US 5754645 A	19980519	11	Electronic apparatus having keyless control	379/433.12	345/156; 379/358; 379/362; 379/433.07; 379/433.13; 379/434; 455/550; 455/90
45	US 5706031 A	19980106	8	Computing and telecommunications interface system	345/172	345/157; 345/163; 345/168; 379/110.01; 379/284; 379/93.05; 455/556
46	US 5659335 A	19970819	8	Computing interface system	345/157	345/163; 345/173; 379/110.01; 379/93.05; 455/556